

Research Article

Deterministic and Probabilistic Single -item inventory Control Models without Shortages

K.Srinivasa Rao*

1 Dept of Operations , GIM, Gitam (Deemed to be University), Visakhapatnam , India,530045
,skolli2@gitam.edu

M.Arun Kumar*

2 Dept of Operations, GIM, Gitam (Deemed to be University), Visakhapatnam, University),
Visakhapatnam, India,530045, amamadur@gitam.edu

Venugopal Reddi*

3 Dept of Marketing, GIM, Gitam (Deemed to be University), Visakhapatnam, India,530045,
vreddi@gitam.edu.

U.V. Adinarayana Rao*

4 Dept of Operations, GIM, Gitam (Deemed to be University), Visakhapatnam, India,530045,
auppu@gitam.edu.

Abstract This paper projected a new overall probabilistic single-source inventory model. This model is devised to evaluate how the firm can determine the optimum order amount, and the optimum reorder time for every piece to reach the key objective of reducing the estimated overall price. The requirement is a chance variable and the lead. A period is a constant. Calculate the economic order quantity (EOQ) for reducing the overall supply price. Compute the reorder level (ROL) to determine replenishment time with known and unknown demand for inventory items. Calculate and understand the use of buffer stock, safety stock, and reserve stock with known and unknown stockout costs. Use inventory status systems . Calculate EOQ when quantity discounts are available.

Keywords: Probabilistic inventory model, Purchase cost, Ordering Cost, Carrying cost, Shortage cost, Order size, Annual Demand, Cycle time, Economic Order Quantity, Stock out, Single period.

1 Introduction

The phrase *inventory* implies any supply with financial cost and is retained to satisfy an association's current and upcoming demands. According to Fred Hansman, inventory is a new source of any type, given that such a source has financial importance. Supplies may be categorized into 3 broad types: (i) physical resources such as natural resources, half-completed

supplies, completed supplies, extra components, oils, etc., (ii) human resources such as idle labor; and (iii) financial supplies such as working capital, etc.

The next are some examples of the kind of inventory taken by several companies. As the final result of a maintenance association such as a bank, infirmary, etc., cannot be collected for usage in the future, the idea of inventory control for them is linked with the numerous types of valuable capability.

Types of Organization	Types of Inventories held
Manufacturer	Raw materials; half-completed supplies; completed supplies; extra components, etc.
Hospital	Amount of cots; supply of medicines; specific employees, etc.
Bank	Money funds, bankers, etc.
Airline company	Accommodating capability; extra components; specific conservation staff, etc.

Inventory of supplies is organized to offer popular merchandise or assistance to consumers and accomplish deal objectives. Because investing in inventory signifies a significant part of the overall capital investments in any company, consequently investing in inventories past a specific point alters the company's money surge and operating capital. Therefore, to guarantee the overall lowest inventory price, it is vital to stabilize the benefit of getting an inventory of supplies and the price of sustaining them.

One of the fundamental tasks of managing is to use investment effectively to produce the highest profits. This can be accomplished in 2 methods or by both, *i.e.*, (a) By increasing the allowance of gain; or (b) By increasing the manufacture with a provided quantity of investment, *i.e.*, to boost investment efficiency. This implies that the board must attempt to make its investment perform as efficiently as viable. Though this is all repeatedly overlooked, and much time and creativity are dedicated to getting the only work to work harder. In the procedure, the investment income and thus the efficiency of investment are frequently overlooked. New organizations have utilized numerous innovative methods to solve this shortage. Resources Managing has developed to be highly efficient in Resources Managing; Supply Management plays a crucial part in improving investment efficiency.

Inventory organization or Inventory Controller is one of the methods of Resources Managing which assists the organization in advancing the efficiency of investment by dropping the actual prices, stopping the enormous quantities of investment being sealed up for extended ages, and refining the investment -income percentage. Inventory management methods were developed and established in and after the Second World War and assisted the more technologically advanced nations in achieving remarkable growth in enhancing their efficiency.


2 Function role of inventory

Because investment in inventory signifies a significant fraction of the overall investment in any industry, consequently queries like: (i) *why invest funds in inventory?* Moreover, (ii) *what benefit can be derived by investing in inventories?* Are frequently raised. The purpose of carrying inventories will be discussed in the next section. However, certain distinct forms of inventories and their functions are shown in Table 1.

Inventory Function	Inventory Form		
	Raw Goods	Half-Finished Goods	Completed Supplies
Transit (Pipeline)	Logistics Decisions		
	The layout of resource structure, provider spot, shipping means	The layout of the design and materials handling system.	The layout of factory place and merchandise delivery method.
Cycle(EOQ.lots)	Product / Process/ Design Decisions		
	Order size, order cost	Lot size, set-up cost	Delivery fees, lot sizes
Buffer (uncertainty)	Management Threat Point Judgment and Doubt		
	Possibility distribution of price, supply, stockout, and carrying costs	Probability dispersal of a machine and product capabilities.	Probability distribution of demand and associated carrying and shortage costs
Anticipation (Price/shortage)	Price/Availability Decision and Uncertainty, Seasonality Capacity		
	Identify upcoming quantities and expected cost amount	Size, Manufacture expenses of employ, move, bonus, unused period, etc.	Order designs (seasonal)
Dissociating (inter reliance)	Production Control Decisions		
	Reliance / Freedom from provider behavior	Reliance/independence of consecutive fabrication procedures	Dependence/independence from marker behavior

3 Factors involved in inventory problem analysis.

Regardless of the type of inventory items maintained, an inventory system that comprises the various subsystems is shown Inventory System in Fig. 1.





4 Classification of EOQ Models

A broad classification of EOQ Models into three categories is shown in Fig. 2, and all these will be discussed below.

List of symbols used We apply the following signs to develop various inventory diagrams discussed in this chapter. The brackets indicate the unit of measurement of each of them.

C = buying (or producing) price of merchandise (Rs per unit)

C_0 = buying (or set-up) price per demand (Rs per order)

r = price of carrying one rupee's worth of inventory expressed in terms of percent of rupee value

of inventory (percent per unit time)

$C_h = C \cdot r$ = price of taking a single part of a thing in the inventory for an afforded duration of a period (Rs per item per unit time)

C_s = unavailability price per division per time (Rs per unit time)

D = annual requirement (demand) of an item

Q = order quantity (units) per order

ROL = reorder level (or point) when an instruction is assigned

LT = replenishment start period (delivery time or period)

n = amount of purchases per period

t = reorder period (period), i.e., period break amid consecutive purchases to restock inventory stock.

t_p = manufacture time


r_p = manufacture ratio (quantity per unit time) at which number Q is included in the inventory

TC = total inventory cost (in Rs)

TVC = overall varying inventory price (in Rs)

Classification of Deterministic Inventory Control Models is shown in Fig2.

Deterministic and Probabilistic Single -item inventory Control Models without Shortages




Control model devoid of scarcities

Model 1: EOQ Model with a continual level of Requirements

This diagram aims to decide on an economical purchase amount, Q^* (EOQ), and the ordering frequency. (Time when an order should be placed) in such a manner that the overall annual inventory price is reduced. For this model, the following characteristics (or inputs) are assumed:

- The inventory method includes one kind of thing or merchandise.
- The requirement is recognized and continuous and is resupplied instantaneously.
- The inventory is refilled in single distribution for every purchase.
- Lead time (LT) is perpetual and identified, i.e., replenishment is instantaneous so that inventory increases by Q units as soon as an order is placed.
- Scarcities are not permitted. That is, there is constantly sufficient inventory on hand to satisfy the requirement.
- Buying price and rearrange expenses do not differ from the amount requested. That is an amount discount. Is not offered.
- Transporting price per annum (as a portion of product cost) and requesting price per purchase are recognized and continual.
- Everything is separate, and cash cannot be spared by swapping more objects or group price numerous objects into a separate purchase.

The primary purpose of this simplified model is to derive beneficial results rather than representing a real-life inventory problem. The results of this model are a good approximation and provide useful guidelines. The few assumptions made in this model will be removed in the subsequent models to bring them close to realistic problems of inventory control. Inventory Model with Constant Demand and Instantaneous supply is shown in Fig 3.






Fig3. depicts an inventory system that operates on certain assumptions listed above. At the start of the inventory phase period, a total sum of inventory identical to the purchase quantity Q is obtainable in the supply. The amount of inventory on utilization decreases at a constant percentage. Once it achieves a particular point termed *reorder level* (ROL), sufficient inventory is offered to cover up anticipated need through the lead time LT. At this point (point), a directive is placed equal to Q , which comes at the end of Leadtime, when the inventory amount reaches 0. This quantity is put in supply all at once, and the supply amount reaches up to its highest point, Q

Order quantity replenished in one inventory cycle = Consumption of stock in one inventory cycle.

$$Q = D \cdot t$$

The total variable inventory cost incurred when an order of size Q is placed at the end of the recorder cycle is given by.


$$\begin{aligned} TVC &= \text{Annual carrying cost} + \text{Annual ordering cost} \\ &= \{ \text{Average inventory level} \times (\text{Carryingcost}) \} + \\ &\quad \{ \text{Number of orders placed per year} \times (\text{Ordering cost}) \} \\ &= \left\{ \frac{I_{max} + I_{min}}{2} \right\} \cdot C_h + \frac{D}{Q} \cdot C_0 \\ &= \frac{Q}{2} C_h + \frac{D}{Q} \cdot C_0 \end{aligned}$$

As shown in Fig.14.4, the overall alterable inventory price is least at a value of Q , which happens to be the time wherever inventory bearing and buying prices are equivalent.

$$\begin{aligned} \frac{D}{Q} \cdot C_0 &= \frac{Q}{2} \cdot C_h \text{ or } Q^2 = \frac{2DC_0}{C_h} \\ Q^*(EOQ) &= Q = \sqrt{\frac{2DC_0}{C_h}} = \sqrt{\frac{2 \times \text{Annual demand} \times \text{Ordering cost}}{\text{Carrying cost}}} \end{aligned}$$

Q^* is also identified as the Wilson or Harris lot size principle.

Trade – off between EOQ and Inventory Costs are shown in Fig4.



Q* (EOQ)

Order Size, Q

- Optimal interval, t^* between the successive orders

$$Q^* = Dt$$

$$t^* = \frac{Q^*}{D} = \frac{1}{D} \times \sqrt{\frac{2DC_0}{C_h}} = \sqrt{\frac{2C_0}{DC_h}}$$

- An optimum amount of purchases (N^*) to be put in the allotted period.

$$N^* = \frac{D}{Q^*} = D \times \frac{1}{\sqrt{\frac{2DC_0}{C_h}}} = \sqrt{\frac{DC_h}{2C_0}}$$

- Optimal (Minimum) total variable inventory cost (TVC*)

$$\begin{aligned} TVC^* &= \frac{Q^*}{D} C_0 + \frac{Q^*}{2} C_h \\ &= DC_0 \times \frac{1}{\sqrt{\frac{2DC_0}{C_h}}} + \frac{C_h}{2} \times \sqrt{\frac{2DC_0}{C_h}} = \sqrt{2DC_0C_h} \end{aligned}$$

- Optimal total inventory cost

$$\begin{aligned} TC &= \text{Fixed purchase cost} + \text{Total variable inventory cost} \\ &= D.C + TVC^* \end{aligned}$$

- Often the carrying cost is expressed as a proportion of the monetary cost of inventory items. In such cases, the total annual carrying cost is calculated as

$$C_h = r \times c$$

- The annual demand for inventory items is expressed in rupee value rather than in units. In such cases, the demand may be expressed in units as follows,

$$\text{Demand (in units)} = \frac{\text{Rupee value of demand}}{\text{Unit cost of the item}}$$

$$\begin{aligned} Q^*(EOQ) &= \sqrt{\frac{2 \times \text{Annual demand in rupee} \times \text{Ordering cost}}{\text{Inventory carrying cost}}} \\ &= \sqrt{\frac{2 \times (C.D)C_0}{r \times c}} \end{aligned}$$

- The optimal value of Q that minimizes the TVC can be similarly achieved by utilizing difference calculus as follows:

$$TVC = \frac{D}{Q} \times C_0 + \frac{Q}{2} \times C_h$$

$$\frac{d}{dQ}(TVC) = -\frac{D}{Q^2} \times C_0 + \frac{1}{2} \times C_h$$

$$\frac{d}{dQ}(TVC) = 0$$

$$-\frac{D}{Q^2} \times C_0 + \frac{1}{2} \times C_h = 0$$

$$Q^* = \sqrt{\frac{2DC_0}{C_h}}$$

$$\frac{d^2}{dQ^2}(TVC) = \frac{2D}{Q^3} \times C_0 \text{ is positive for any finite value of } Q > 0$$

- The change (increase or decrease) in the total variable inventory cost (TVC) due change in the order quantity Q^* is expressed as:

$$Q = k \cdot Q^*$$


$k = \frac{Q}{Q^*}$ and the ratio of TVC's associated with Q and Q^*

$$\frac{TVC(Q)}{TVC(Q^*)} = \frac{1}{2} \left(\frac{1}{k} + k \right) \text{ or } \frac{1}{2} \left(\frac{Q^*}{Q} + \frac{Q}{Q^*} \right)$$

Model 2: EOQ Model with Various Levels of Requirement

This inventory system also operates on Model I(a) assumptions, except that the demand is constant and varies from period to period. The objective is to determine the order size (or production quantity) in each reorder cycle (or period) to minimize the overall inventory price. The total demand, D , is specified. Over the planning period, T .

If $t_1, t_2, t_3, \dots, t_n$ denotes for successive replenishment and $D_1, D_2, D_3, \dots, D_n$ is the demand rates at these cycles, respectively, then the total period T is given by $T = t_1 + t_2 + t_3 + \dots + t_n$. Fig 14.5 depicts the inventory system under the assumption of Model 1 plus other condition. Inventory level with different rates of demand in different cycles are shown in Fig5.



Suppose every period is an endless amount; if q is ordered, then the number of orders in full-time T will be $n = \frac{D}{q}$, wherever D is the overall requirement in time T . Therefore, the inventory transporting price and ordering price for the time T .

$$\begin{aligned} \text{Carrying cost} &= \frac{1}{2} q \cdot t_1 C_h + \frac{1}{2} q \cdot t_2 C_h + \dots + \frac{1}{2} q \cdot t_n C_h \\ &= \frac{1}{2} q \cdot C_h (t_1 + t_2 + \dots + t_n) \\ &= \frac{1}{2} q \cdot C_h T \end{aligned}$$

$$\text{Ordering cost} = \frac{D}{q} C_0$$

Hence ,the annual total variable inventory cost

$$TVC = \frac{1}{2} q C_h T + \frac{D}{q} C_0$$

For optimum value of q that minimum TVC ,

$$\frac{1}{2} q C_h T = \frac{D}{q} C_0 \text{ or } q^* = \sqrt{\frac{2DC_0}{TC_h}}$$

$$TVC^* = \sqrt{2C_h C_0 \left(\frac{D}{T}\right)}$$

Model 3: Financial Manufacture Amount Diagram when Quantity (Replenishment) is Slow


This diagram is comparable to that of EOQ Model I, the only change being the period to restock inventory. In this diagram, it is believed that the replacement is ongoing. This is since, in many circumstances, the sum requested is not supplied immediately, but the requested amount is sent or collected steadily on the duration of moments at a predictable level (i.e., given supply rate) per unit of time. Gradual (i.e., non-instantaneous) supply may arise in two cases:


- The amount ordered is provided by the supplier in numerous deliveries over a phase of time. Thus, the inventory is being used while the new inventory is yet being collected at a faster rate and, therefore, inventory gradually builds up to its maximum level. At this level, incoming shipments stop, but their use continues and declines to its lowest level.
- The inflow and consumption of inventory most frequently overlap internally on the shop floor when the process that fills the order is located near the operation that will use the order as inputs. For example, after some internal lead time, the manufacturing method starts, and many are supplied throughout a period. The amount supplied is steadily utilized (i.e., sold, shipped out, or used internally in making another item) until a repurchase time is achieved.

The additional assumptions made in this model are as follows:

- The requirement is constant and at a continuous pace.
- Throughout the manufacture, the manufacture of the thing is constant and continuous until the amount (Q) is completed.
- The ratio of delivery (p) of replacement of inventory (i.e., items received per unit period) is larger than the usage rate (d) (i.e., items consumed per unit time).
- The production runs in order to restock inventory are produced at a continuous period.
- The manufacture set-up price is permanent (independent of the amount generated).

In the inventory system, as shown in Fig .5, if t_p the period necessary to receive (or produce) a whole collection sum Q at a rate p , then the ratio at which the shares is $p = \frac{Q}{t_p}$ or $t_p = \frac{Q}{p}$





Throughout the manufacture Production Cycle inventory rises at the ratio of p and instantaneously reduces at the level of d . Time, $t = Q/D$ Inventory increasingly develops at the level of $p - d$ units throughout a production run and declines at the ratio d between productions. Thus, the highest inventory amount achieved at the end of t_p will be.

$$I_{max} = \text{Inventory accumulation rate} \times \text{Production time}$$

$$= (p - d)t_p = (p - d) \frac{Q}{p} = \left(1 - \frac{d}{p}\right) Q$$

Since the minimum inventory level, $I_{min} = 0$

$$\text{The average inventory level} = \frac{Q}{2} \left(1 - \frac{d}{p}\right)$$

$$\text{Carrying cost} = \frac{Q}{2} \left(1 - \frac{d}{p}\right) C_h$$

$$\text{Production set - up cost} = \frac{D}{Q} \times C_0$$

$$TVC = \frac{Q}{2} \left(1 - \frac{d}{p}\right) C_h + \frac{D}{Q} \times C_0$$

Set - up cost = Carrying cost

$$\frac{D}{Q} \times C_0 = \frac{Q}{2} \left(1 - \frac{d}{p}\right) C_h$$

$$EBQ(Q^*) = \sqrt{\frac{2DC_0}{C_h} \left(\frac{p}{p-d}\right)}$$

- The total minimum inventory variable cost

$$TVC^* = \frac{D}{Q^*} C_0 + \frac{D^*}{2} \left(1 - \frac{d}{p}\right) C_h$$

$$TVC^* = \sqrt{2DC_0C_h \left(1 - \frac{d}{p}\right)}$$

- The optimum size of every lot size manufacture run $t^* = \frac{Q^*}{p}$
- The optimum size of every lot size manufacture run $t = \frac{Q^*}{D}$
- The optimum size of every lot size manufacture run $N^* = \frac{D}{Q^*}$

Conclusion

Scientific inventory management includes utilizing statistical models to obtain an optimum inventory strategy. Deciding the proper purchase amount for restocking inventory of a specific product every period includes analyzing the exchange amongst the system cost acquired by commencing the replacement and the expenses related to carrying the inventory of any merchandise. The expenses related to scarcities involving lost potential deals since discontent through maintenance should also be contemplated. The price of buying parts of the merchandise is not essential if the yearly purchase price is permanent. The yearly purchase price enhances a portion of the overall flexible inventory price per annum to reduce.

REFERENCES

- [1] Economic order quantities with inflation, Operation Research, by Buzacott J.A., 1975.
- [2] Budnick, F.S., 1988 Principles of Operations Research for Management, 2nd ed., Richard D.Irwin Inc., Illinois
- [3] Paneerselvam, R., 2005., Production and Operations Management, 2nd ed., Prentice-Hall of India, New Delhi.
- [4] Paneerselvam, R., 2010., Operations Research, 2nd ed., Prentice-Hall of India, New Delhi
- [5] Rani, Baby, "Bright Hub Engineering," Bright Hub Engineering, 2010 August 2010.
- [Online]. Available:http://www.brighthubengineering.com/manufacturing-technology/76915-methods-of-inventory-control/#imgn_0. Accessed 18 July 2014 July 2014.
- [6] S. a. W. Andreson, An Introduction to Management Science, quantitative approaches to decision making"7th edition.
- [7] Material Management & Inventory Control," Trans Tutors, [Online]. Available: <http://www.transtutors.com/homework>[Accessed 18 July.
- [8] Abou-El-Ata MO, Kotb KAM (1996) Multi-item EOQ inventory model with varying holding cost under two restrictions: a geometric programming approach. Prod Plan Control 8(6):608–611.
- [9] Abou-El-Ata MO, Fergany HA, El-wakeel MF (2003) Probabilistic multi-item inventory model with varying order cost under two restrictions: a geometric programming approach. Int J Prod Econ 83:223–231.
- [10] Fabrycky WJ, Banks J (1965) Procurement and inventory theory. Volume III—the multi-item, multi-source concept. Oklahoma State University Engineering Research Bulletin, no. 146
- [11] Fergany HA, El-Saadian ME (2005) Constrained probabilistic inventory model with continuous distributions and varying holding cost. Int J Appl Math 17(1):53–67.
- [12]Fergany HA, El-Saadian ME (2006) Constrained probabilistic lost sales inventory system normal distributions and varying order cost. J Math Stat 2(1):363–366.